



MAKE YOUR WORKPLACE SIMPLER AND SMARTER

MOTOTRBO™ XIR™ P8600 SERIES ACCESSORIES



From the supervisor in the plant to the receptionist at a hotel, MOTOTRBO digital solutions can transform your enterprise and make employee interactions smarter and safer. Our XiR P8600 Series radios have expanded capabilities, like full color displays and powerful data features, to empower people like never before.

That's why it's critical to choose the only accessories certified to perform with MOTOTRBO radios. The XiR P8600 Series accessories help remaster your workplace — with forward-thinking features like integrated Bluetooth® and Intelligent Audio — so you can achieve greater efficiency.



GET EXCEPTIONAL AUDIO EVERYWHERE

Our exclusive IMPRES Smart Audio accessories communicate with the radio to suppress ambient noise, improve voice intelligibility and amplify loudness — even in high-noise and harsh weather. Automatic Gain Control (AGC) adds another layer of exceptional audio. It detects changes in voice levels from the individual talking, then increases or decreases microphone gain so the listener hears you clearly regardless of how loudly or quietly you are talking into your accessory.

TAKE INTELLIGENT AUDIO FURTHER WITH IMPRES

Our XiR P8600 Series radios offer a smart feature in digital mode —Intelligent Audio. With Intelligent Audio, the radio volume automatically adjusts to compensate for background noise so workers don't have to adjust their radio volume to avoid missing a call in loud situations or disturbing others when they move into quiet places. Increased background noise suppression filters out unwanted external clamor — from road traffic to the roar of engines. Your workforce can also enjoy the benefits of Intelligent Audio with select audio accessories.

Plug in an IMPRES accessory and it instantly sets the volume level and enhances the Intelligent Audio capabilities on the radio. With IMPRES, your radio not only recognizes the accessory and loads the correct profile to optimize audio performance, but combined with Intelligent Audio it intuitively adjusts volume to compensate for background noise.

ENHANCE MOBILITY WITH INTEGRATED BLUETOOTH

Improve the mobility of your crews without wires getting tangled. We've embedded Bluetooth in to your XiR P8600 Series radio so no adapter is needed. Indoors at the plant or outdoors at the gate, our exclusive Operations Critical Wireless earpiece handles loud environments while an optional wireless push-to-talk (PTT) seamlessly links to any earpiece. Just put the PTT in a pocket or on a lapel and connect instantly.

EVEN OUR BATTERIES ARE SMARTER

Shift workers rely on batteries that outlast their shifts and our time-tested, "Proven Tough" IMPRES Smart Energy System stands up to the challenge. It automates battery maintenance and eliminates overcharging, no matter how long radios are left in the charger. Our XiR P8600 Series IMPRES batteries store critical data, letting you know when they need to be replaced. These batteries also feature a unique, textured surface that makes it easier to grip the radio, even when wearing gloves.

Save energy and money by using the same charger to power up all your MOTOTRBO portable radios. Simply mix and match radios and batteries in one MOTOTRBO multiunit charger.

ACCESSORIES COMPATIBLE WITH MOTOTRBO XIR P8668 / P8660 / P8628 / P8620 / P8608 / P8600 PORTABLE RADIOS

REMOTE SPEAKER MICROPHONES		
PMMN4024 ^{1,2}	Remote Speaker Microphone with 3.5mm audio jack (IP54)	
PMMN4025 ^{1,2}	IMPRES Remote Speaker Microphone with 3.5mm audio jack and emergency button (IP54)	
PMMN4040 ^{1,2}	Remote Speaker Microphone, submersible (IP57)	
PMMN4046 ^{1,2}	IMPRES Remote Speaker Microphone with volume control, emergency and programmable button, submersible (IP57)	
PMMN4050 ^{1,2}	IMPRES Noise cancellation Remote Speaker Microphone	

1N4050 ^{1,2}	IMPRES Noise cancellation Remote Speaker Microphone with 3.5mm audio jack (IP54)

BLUETOOT	TH WIRELESS ACCESSORIES
NNTN8189 ^{1,2*}	Operations Critical Wireless Earpiece with 12" cable
NNTN8190 ^{1,2*}	Operations Critical Wireless Earpiece with 9.5" cable
NNTN8191 ^{1,2*}	Operations Critical Wireless Pod
NNTN8294 ^{1,3}	Operations Critical Wireless Earbud with 11.4" cable
NNTN8295 ^{1,3}	Operations Critical Wireless Earbud with 45.7" cable
PMPN4006	Charger, Micro USB (US/EU/UK)
PMPN4007	Charger, Micro USB (AU/NZ)
PMPN4015	Charger, Micro USB (KOREA)
PMPN4008	Charger, Micro USB (CHINA)

×	These Bluetooth kits do not come
	with chargers, order the suitable
	micro USB chargers separately

1	These audio accessories have
	been optimized to work with the
	Intelligent Audio feature

² Intrinsically Safe

³ Must also be ordered with NNTN8191, wireless push-to-talk pod and the appropriate charger.

	E CDEAVED M	ILDUDITURE V	
BEWLUI	'E SPEAKER M	IUNUE TUNE A	(Composition)

AARLN4885 ²	Receive-Only Covered Earbud with coiled cord
RLN4941 ²	Receive-Only Earpiece with translucent tube
WADN4190 ²	Receive-Only Flexible Earpiece
PMLN4620 ²	Receive-Only D-shell Earpiece

EARSET

PMLN5096^{1,2} D-style Earset with inline push-to-talk

HEADSETS	
PMLN5102 ^{1,2}	Ultra-lite Headset, behind-the-head, adjustable with inline push-to-talk
RMN5058 ^{1,2}	Lightweight Headset, over-the-head single-muff with inline push-to-talk
PMLN5275 ^{1,2}	Heavy Duty Headset with boom microphone, noise reduction = $24dB$
PMLN5101 ^{1,2}	IMPRES Temple Transducer with boom microphone and inline push-to-talk

SURVEILLANCE AC	CESSORIES
RLN5878 / RLN5879 ²	Receive-Only Surveillance Kit (black/beige)
RLN5880 / RLN5881 ^{1,2}	IMPRES 2-wire Surveillance Kit (black/beige)
RLN5882 / RLN5883 ^{1,2}	IMPRES 2-wire Surveillance Kit with translucent tube (black/beige)
PMLN5111 / PMLN5112 ^{1,2}	IMPRES 3-wire Surveillance Kit with translucent tube (black/beige)
PMLN5097 / PMLN5106 ^{1,2}	IMPRES 3-wire Surveillance Kit (black/beige)
RLN5886	Low Noise Kit for Surveillance Kits
RLN5887	High Noise Kit for Surveillance Kits
RLN4760 / RLN4763	Small Clear, Comfortable Earpiece (right/left ear)
RLN4761 / RLN4764	Medium Clear, Comfortable Earpiece (right/left ear)
RLN4762 / RLN4765	Large Clear, Comfortable Earpiece (right/left ear)
RLN6282	Replacement clear rubber eartips, pack of 50

ANTENNAS	
PMAE4079 ² & PMAE4068 ²	UHF Combination Whip Antenna (403-527 MHz)
PMAE4069 ²	UHF Stubby Antenna (403-450 MHz)
PMAE4070 ²	UHF Stubby Antenna(440-490 MHz)
PMAE4071 ²	UHF Stubby Antenna (470-527 MHz)
PMAD4117 ²	VHF Helical Antenna (136-155 MHz)
PMAD4116 ²	VHF Helical Antenna (144-165 MHz)
PMAD4118 ²	VHF Helical Antenna (152-174 MHz)
PMAD4119 ²	VHF Stubby Antenna (136-148 MHz)
PMAD4120 ²	VHF Stubby Antenna (146-160 MHz)

BATTERIES AND CHARGERS	
IMPRES BA	ATTERIES
PMNN4407	IMPRES Li-Ion 1500 mAh submersible battery, IP57
PMNN4409	IMPRES Li-Ion 2150 mAh high capacity submersible battery, IP57 $$
NNTN8129 ²	IMPRES Li-ion 2150 mAh submersible battery, IP57, Intrinsically Safe

IMPRES SI	NGLE UNIT CHARGERS
WPLN4232	IMPRES, Single Unit Charger, US 2 Pin
WPLN4234	IMPRES Single Unit Charger, EUR 2 Pin
WPLN4255	IMPRES, Single Unit Charger, EUR 2pin (Switch mode)
WPLN4233	IMPRES, Single Unit Charger, UK 3 Pin
WPLN4256	IMPRES, Single Unit Charger, ANZ 2 Pin
WPLN4249	IMPRES, Single Unit Charger, KOREA 2 pin
WPLN4245	IMPRES, Single Unit Charger, CHINA 2 pin

	IMPRES MU	JLTI-UNIT CHARGERS
	WPLN4212	IMPRES, MUC, Non-Display, 110-230V, US Cord
	WPLN4213 ³	IMPRES, MUC, Non-Display, 110-230V, EU Cord (can also be used in China)
	WPLN4214	IMPRES, MUC, Non-Display, 110-230V, UK Cord
	WPLN4215	IMPRES, MUC, Non-Display, 110-230V, ANZ Cord
	WPLN4217	IMPRES, MUC, Non-Display, 110-230V, KOREA Cord

IMPRES MULTI-UNIT CHARGERS WITH DISPLAY MODULES		
WPLN4219	IMPRES, MUC, Display 110-230V US Cord	
WPLN4220 ³	IMPRES, MUC, Display 110-230V EUR Cord (can also be used in China)	
WPLN4221	IMPRES, MUC, Display 110-230V UK Cord	
WPLN4222	IMPRES, MUC, Display 110-230V ANZ Cord	
WPLN4224	IMPRES, MUC, Display 110-230V KOREA cord	

CHARGER S	OFTWARE AND ACCESSORIES
NNTN7979**	IMPRES Battery Fleet Management Software
HKVN4039^	Software license key for Battery Fleet management Software
NNTN7677	Multi-Unit Charger Interface Unit for IMPRES Battery Fleet Management
NNTN8045	Single-Unit Charger Interface Unit for IMPRES Battery Fleet Management
NNTN7392	IMPRES Battery Reader
NLN7967	Wall Mount Brackets for multi-unit charger
RLN5382	Display Module for IMPRES multi-unit charger

CARRY AC	CESSORIES
PMLN5838	Hard Leather Case with 3" Fixed Belt Loop - full keypad
PMLN5839	Hard Leather Case with 3" Fixed Belt Loop — no display
PMLN5840	Hard Leather Case with 3" Swivel Belt Loop – full keypad
PMLN5846	Hard Leather Case with 3" Swivel Belt Loop – no display
PMLN5842	Hard Leather Case with 2.5" Swivel Belt Loop – full keypad
PMLN5843	Hard Leather Case with 2.5" Swivel Belt Loop – no display
PMLN5844	Nylon Case with 3" Fixed Belt Loop – full keypad
PMLN5845	Nylon Case with 3" Fixed Belt Loop — no display
PMLN7008	2.5" Belt Clip
PMLN4651	2" Belt Clip
NTN5243	Adjustable Nylon Carrying Strap
HLN6602	Universal Chest Pack
RLN4570	Break-a-way Chest Pack
1505596Z02	Chest Pack Replacement Strap
RLN4815	Radio Pack Radio Utility Case
4280384F89	Radio Pack Extension Belt
HLN9985	Waterproof Bag
RLN4295	Epaulet Strap
4200865599	1.75" Wide Leather Belt
15012157001	Accessory Connector Dust Cover

PROGRAMMING AND TEST CABLES		
PMKN4012 ⁴	Portable Programming Cable	
PMKN4013 ⁵	Programming, Test and Alignment Cable	
PMKN4040	Portable Telemety Cable	
PMKN4071	Portable to RS232 DB25M connector cable	

- ** NNTN7979 is a DVD containing the application software for Fleet management. With this software alone, you can only read the data information from the batteries when connected together with the Charger Interface Units.
- ^ The software license key after keying into the installed fleet management software will expand the following fleet management capabilities:

 1) Generate and print out predefined or customized reports

 2) Upgrade to a large fleet management network consists up to the maximium of 20 personal computers
- ¹ These audio accessories have been optimized to work with the Intelligent Audio feature
- ² Intrinsically Safe
- ³ Only WPLN4213 and WLN4220 are China CMM Compliant. The rest of the Multi Unit Chargers are not CMM compliant.
- ⁴ Must use the B-version of the PMKN4012 programming cable for programming XPR P8600 Series portables
- Must use the C-version od the PMKN4013 programming, test and alignment cable for use on XiR P8600 Series portables

Motorola Solutions Singapore Pte Ltd 12 Ang Mo Kio Street 64, Ang Mo Kio Industrial Park 3, UE Biz Hub, Block A, Level 7 Singapore 569088 motorolasolutions.com

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2012 Motorola Solutions, Inc. All rights reserved. AF4-06-019



MOTOTRBO DIGITAL REMASTERED.